



The future of wet and dry vacuum cleaning

The Nilfisk VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time, has features making daily cleaning tasks easier, faster and safer.

VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications.

A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters.

The unique design and features of VL500 is developed in partnership with Nilfisk customers.

The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information.

PRODUCT FACTS

- Easy changing of filters with a hinged motor head to protect the machine and speed up the process
- The dual filtration system allows the machine to clean both wet and dry applications without the need to change filter
- Multi fit hose connector, stainless steel tube, accessory storage and nozzle parking

Model	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk
Ref. no	107405155	107405170	107405179	107405189	107405197
Description	VL500 35 BSF 220-240V/50-60 EU	VL500 35 BSF 220-240V/50 UK	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US	VL500 35 BSF 100V/50-60 JP

PRODUCT FEATURES

DUAL FILTER SYSTEM					
TUBE HOLDER	■	■	■	■	■
STORAGE OF ACCESSORIES	■	■	■	■	■

INCL. ACCESSORIES

107407310 FLOOR NOZZLE D32 RUBBER STRIP	■	■	■	■	■
107407311 FLOOR NOZZLE D32 BRUSH	■	■	■	■	■
107407312 BRUSH NOZZLE D32	■	■	■	■	■
107407334 CREVICE NOZZLE D32	■	■	■	■	■
107407309 EXTENSION TUBE D32 - SS	■	■	■	■	■
107407308 HOSE D32 1.9M CPL	■	■	■	■	■
107407296 SACK FILTER	■	■	■	■	■
107407297 CARTRIDGE FILTER 35L					
107407299 WET FILTER 35L					

Technical specifications	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk
	EU	UK	AU7NZ	US	JP
PLUG TYPE	EU	UK	AU7NZ	US	JP
CABLE LENGTH (M)	10	10	10	15	15
VOLTAGE (V)	220-240	220-240	220-240	120	100
FREQUENCY (HZ)	50-60	50-60	50	60	50-60
IP PROTECTION CLASS	IP24	IP24	IP24	IP24	IP24
POWER PMAX (W)	1350	1350	1350	1100	1250
POWER PIEC (W)	1250	1250	1250	1000	1150
SUCTION POWER END OF TUBE (W)	250	250	250	220	250
AIRFLOW (L/SEC)	48	48	48	45	48
VACUUM AT NOZZLE (KPA)	20	20	20	20	20
SOUND PRESSURE LEVEL (DB(A) BS 5415)	62	62	62	62	62
SOUND POWER LEVEL (DB(A)IEC 704)	81	81	81	81	81
TANK CAPACITY (L)	35	35	35	35	35
DUST BAG CAPACITY (L)	18	18	18	18	18
SACK FILTER AREA (CM2)	1051	1051	1051	1051	1051
WET FILTER AREA (CM2)	-	-	-	-	-
CARTRIDGE FILTER AREA (CM2)	-	-	-	-	-
HOSE LENGTH (M)	1.9	1.9	1.9	1.9	1.9
INLET (MM)	32	32	32	32	32
LENGTH X WIDTH X HEIGHT (CM)	46x42x73	46x42x73	46x42x73	46x42x73	46x42x73
WEIGHT (KG)	11.5	11.5	11.5	11.5	11.5

Model	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk
Ref. no	107407466	107408813	107405160	107405171
Description	VL500 35 BDF 120V 60HZ US	VL500 35 BDF 100V 50-60HZ JP	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK

PRODUCT FEATURES

DUAL FILTER SYSTEM	■	■	■	■
TUBE HOLDER	■	■	■	■
STORAGE OF ACCESSORIES	■	■	■	■

INCL. ACCESSORIES

107407310 FLOOR NOZZLE D32 RUBBER STRIP	■	■	■	■
107407311 FLOOR NOZZLE D32 BRUSH	■	■	■	■
107407312 BRUSH NOZZLE D32	■	■	■	■
107407334 CREVICE NOZZLE D32	■	■	■	■
107407309 EXTENSION TUBE D32 - SS	■	■	■	■
107407308 HOSE D32 1.9M CPL	■	■	■	■
107407296 SACK FILTER				
107407297 CARTRIDGE FILTER 35L	■	■	■	■
107407299 WET FILTER 35L	■	■	■	■

Technical specifications	VL500 - 35B - Nilfisk	VL500 - 35B - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk
PLUG TYPE	US	JP	EU	UK
CABLE LENGTH (M)	15	15	10	10
VOLTAGE (V)	120	100	220-240	220-240
FREQUENCY (HZ)	60	50-60	50-60	50-60
IP PROTECTION CLASS	IP24	IP24	IP24	IP24
POWER P _{MAX} (W)	1100	1250	1350	1350
POWER P _{IEC} (W)	1000	1150	1250	1250
SUCTION POWER END OF TUBE (W)	220	250	250	250
AIRFLOW (L/SEC)	45	48	48	48
VACUUM AT NOZZLE (KPA)	20	20	20	20
SOUND PRESSURE LEVEL (DB(A) BS 5415)	62	62	62	62
SOUND POWER LEVEL (DB(A)IEC 704)	81	81	81	81
TANK CAPACITY (L)	35	35	35	35
DUST BAG CAPACITY (L)	18	18	18	18
SACK FILTER AREA (CM ²)	-	-	-	-
WET FILTER AREA (CM ²)	1051	1051	1051	1051
CARTRIDGE FILTER AREA (CM ²)	2070	2070	2070	2070
HOSE LENGTH (M)	1.9	1.9	1.9	1.9
INLET (MM)	32	32	32	32
LENGTH X WIDTH X HEIGHT (CM)	46x42x73	46x42x73	46x42x73	46x42x73
WEIGHT (KG)	12.5	12.5	12.5	12.5

Model	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk
Ref. no	107405183	107405202	107405204	107405534
Description	VL500 35 EDF 220-240V/50 AU/NZ	VL500 35 EDF 230V/50 ZA	VL500 35 EDF 230V/50 CH	VL500 35 EDF 230V/50Hz CN

PRODUCT FEATURES

DUAL FILTER SYSTEM	■	■	■	■
TUBE HOLDER	■	■	■	■
STORAGE OF ACCESSORIES	■	■	■	■

INCL. ACCESSORIES

107407310 FLOOR NOZZLE D32 RUBBER STRIP	■	■	■	■
107407311 FLOOR NOZZLE D32 BRUSH	■	■	■	■
107407312 BRUSH NOZZLE D32	■	■	■	■
107407334 CREVICE NOZZLE D32	■	■	■	■
107407309 EXTENSION TUBE D32 - SS	■	■	■	■
107407308 HOSE D32 1.9M CPL	■	■	■	■
107407296 SACK FILTER				
107407297 CARTRIDGE FILTER 35L	■	■	■	■
107407299 WET FILTER 35L	■	■	■	■

Technical specifications	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk	VL500 - 35E - Nilfisk
PLUG TYPE	AU7NZ	ZA	CH	CN
CABLE LENGTH (M)	10	10	10	10
VOLTAGE (V)	220-240	220-240	220-240	220-240
FREQUENCY (HZ)	50	50-60	50-60	50-60
IP PROTECTION CLASS	IP24	IP24	IP24	IP24
POWER P _{MAX} (W)	1350	1350	1350	1350
POWER P _{IEC} (W)	1250	1250	1250	1250
SUCTION POWER END OF TUBE (W)	250	250	250	250
AIRFLOW (L/SEC)	48	48	48	48
VACUUM AT NOZZLE (KPA)	20	20	20	20
SOUND PRESSURE LEVEL (DB(A) BS 5415)	62	62	62	62
SOUND POWER LEVEL (DB(A)IEC 704)	81	81	81	81
TANK CAPACITY (L)	35	35	35	35
DUST BAG CAPACITY (L)	18	18	18	18
SACK FILTER AREA (CM ²)	-	-	-	-
WET FILTER AREA (CM ²)	1051	1051	1051	1051
CARTRIDGE FILTER AREA (CM ²)	2070	2070	2070	2070
HOSE LENGTH (M)	1.9	1.9	1.9	1.9
INLET (MM)	32	32	32	32
LENGTH X WIDTH X HEIGHT (CM)	46x42x73	46x42x73	46x42x73	46x42x73
WEIGHT (KG)	12.5	12.5	12.5	12.5

Accessories		Ref. no	Min. required	VL500 - 35B - Nilfisk	VL500 - 35E - Nilfisk
	Vac Nozzle Wet				
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	■	■
	Vac Nozzle Dry				
	FLOOR NOZZLE D32 BRUSH	107407311	1	■	■
	Round brush nozzle				
	BRUSH NOZZLE D32	107407312	1	■	■
	Crevice nozzle				
	CREVICE NOZZLE D32	107407334	1	■	■
	Tube				
	EXTENSION TUBE D32 - SS	107407309	1	■	■
	Hose Vacuum cleaners				
	HOSE D32 1.9M CPL	107407308	1	■	■
	Bag				
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	■	■
	Filters				
	SACK FILTER	107407296	1	■	
	CARTRIGE FILTER 35L	107407297	1		■
	WET FILTER 35L	107407299	1		■
	CARTRIDGE FILTER 35L HEPA	107409006	1		■