

Compact and micro walk-behind scrubber/dryer

The AS380/15 is a compact and micro walk-behind scrubber dryer, attractive design, micro size, simple and easy to use, fully equipped and ready to use.

With this compact micro scrubber/dryer, you can easily clean the floors in narrow areas. The AS380/15 is easy to use and with handles on the side of the water tank is highly user friendly. The foldable handles makes it easy to transport and storage the machine. The adjustable handle takes the ergonomic needs if the user into consideration. Furthermore the AS380/15 is easy to service and maintain.

You can choose battery version and cable version, battery version will be delivered including brush, squeegee, battery and charger, cable version will be delivered including brush, squeegee and 15 meter power cable.

PRODUCT FACTS

- Ergonomic, adjustable and foldable handle,
- Extremely compact,
- Easy to manoeuvre, transport and storage,
- · Easy to use and service
- Easy to clean, refill and empty
- Suitable for application in narrow area
- Rotationally moulded tank
- Robust handle lock
- Two tanks system
- Battery and Cable versions
- EU and UK versions.



Nilfisk-Advance A/S Sognevej 25, 2605 Brøndby Tel: +45 43238100 - Fax: +45 43437700

Scrubber/Dryers

AS 380/15

Model	SPY15	SPY15	SPY15	SPY15
Ref. no	50000199	50000200	50000201	50000202
Description	AS380/15B-EU 15 SCRUBBER 24V 50/60HZ	AS380/15B-UK 15 SCRUBBER 24V 50/60HZ	AS380/15C-EU 15 230- 240V 50/60HZ	AS380/15C-UK 15 230- 240V 50/60HZ
PRODUCT FEATURES				
ADJUSTABLE HANDLE			-	-
COMPACT DESIGN	•	•	-	-
INCL. ACCESSORIES				
VF89023UK KIT CHARGER 24VDC 50-60HZ				
VF89039 KIT BATTERY 24V AGM				
VF89801 BRUSH 15INCH PLASTIC		-		
VF89500 KIT SQUEEGEE ALUMINUM				
VF89502 BLADE SQUEEGEE FRONT		-		
VF89503 BLADE SQUEEGEE REAR				
Technical specifications	SPY15	SPY15	SPY15	SPY15
CABLE LENGTH (M)/ PLUG TYPE	-	-	15/EU	15/UK
BRUSH MOTOR (W)	250	250	250	250
VACUUM MOTOR POWER (W)	250	250	250	250
BATTERY TYPE	2X12V/33Ah/20H	2X12V/33Ah/20H	-	-
VACUUM (MMH2O)	800	800	800	800
SOUND PRESSURE LEVEL (dB(A))	65	65	69	69
PRODUCTIVITY RATE (M ² / H)	750	750	750	750
	750	750	750	
SOLUTION TANK (L)	15	15	15	15
. ,				15
SOLUTION TANK (L)	15	15	15	15
SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM)	15 15	15 15	15 15	15 15
SOLUTION TANK (L) RECOVERY TANK (L)	15 15 490	15 15 490	15 15 490	15 15 490 380
SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM) BRUSH SPEED (RPM)	15 15 490 380	15 15 490 380	15 15 490 380	15 15 490
SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM)	15 15 490 380 150	15 15 490 380 150	15 15 490 380 140	15 15 490 380 140
SOLUTION TANK (L) RECOVERY TANK (L) SQUEEGEE WIDTH (MM) BRUSH/PAD DIAMETER (MM) BRUSH SPEED (RPM) LENGTH X WIDTH X HEIGHT (MM)	15 15 490 380 150 780x415x590	15 15 490 380 150 780x415x590	15 15 490 380 140	15 15 490 380 140



www.nilfisk-advance.com

Accessorie	Accessories		Min. required	SPY15		
Comparison in .	Batteries and Chargers					
	KIT CHARGER 24VDC 50-60HZ	VF89023UK	1			
	KIT BATTERY 24V AGM	VF89039	1			
	Brush disc. 380mm					
380mm	BRUSH 15INCH PLASTIC	VF89801	1	•		
	Squeegees, blades, skirts and splash guards					
and a	KIT SQUEEGEE ALUMINUM	VF89500	1			
	BLADE SQUEEGEE FRONT	VF89502	1	•		
	BLADE SQUEEGEE REAR	VF89503	1			

